



KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004

Order Information

Order #: 72246
Order Name: Tegra 6000mg CBD
Retail Batch #: 208118
Received: 10/21/2022 11:32:27
Complete: 11/15/2022 13:00:13

Batch Information

Create Date:
Exp. Date:
Size: 0

Total Qty.: 0
Matrix: Tincture
Pickup Weight: N/A

CANNABINOID PROFILE
TESTED

LABEL CLAIM
PASS

MICROBIAL ANALYSIS
PASS

RESIDUAL SOLVENTS
PASS

AGRICULTURAL AGENTS
PASS

HEAVY METAL ANALYSIS
PASS

TERPENES TOTAL
TESTED

MOISTURE ANALYSIS
NOT TESTED

WATER ACTIVITY
NOT TESTED

FILTH & FOREIGN
NOT TESTED

HOMOGENEITY
NOT TESTED

MYCOTOXIN ANALYSIS
PASS



0.251 %
Total THC

22.275 %
Total CBD

24.344 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004

Sample Prep

Tech: 3445
SOP: 418
Batch Number: 56554
Batch Date: 10/24/2022 12:14:13

Sample Analysis

Date/Time: 10/25/2022 15:03:10
Tech: 3445
SOP: 417
Final Weight: 0.2018 g
Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

0.251 %
Total THC

2.371 mg
THC Per Unit

71.130 mg
THC Per Pkg

22.275 %
Total CBD

210.498 mg
CBD Per Unit

6314.934 mg
CBD Per Pkg

24.344 %
Total Cannabinoids

230.047 mg
Cannabinoids Per Unit

6901.382 mg
Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	2	0.831	8.312	7.855	235.645	--	--
CBD	0.064/0.1954	2	22.275	222.749	210.498	6314.934	6000	5.2
CBDA	0.064/0.1954	2	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	2	0.168	1.679	1.587	47.600	--	--
CBG	0.064/0.1954	2	0.442	4.422	4.179	125.364	--	--
CBGA	0.064/0.1954	2	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	2	0.376	3.764	3.557	106.709	--	--
d8-THC	0.064/0.1954	2	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	2	0.251	2.509	2.371	71.130	--	--
THCA	0.064/0.1954	2	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	2	ND	ND	ND	ND	--	--

mg/unit = 1 (g) per unit x 0.945 (g/ml) x cannabinoid concentration (mg/g)

For inhalation derivative products, Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)

ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	0.251	2.509	2.371	71.130
Total CBD	22.275	222.749	210.498	6314.934
Total Cannabinoids	24.344	243.435	230.047	6901.382

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



This COA is governed by the terms and conditions listed on: <https://www.greenscientificlabs.com/terms-of-use>



KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3929
SOP: 432
Batch Number: 56564
Batch Date: 10/24/2022 16:06:21

Sample Analysis

Date/Time: 10/25/2022 15:22:06
Tech: 2657
SOP: 424
Final Weight: 0.5087 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	2	20	ND
Aflatoxin B2	2/10	2	20	ND
Aflatoxin G1	2/10	2	20	ND
Aflatoxin G2	2/5	2	20	ND
Ochratoxin A	2/10	2	20	ND

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3929
SOP: 432
Batch Number: 56564
Batch Date: 10/24/2022 16:06:21

Sample Analysis

Date/Time: 10/25/2022 15:22:06
Tech: 2657
SOP: 424
Final Weight: 0.5087 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	2	0.3	ND	Imazalil	0.002/0.01	2	0.1	ND
Acephate	0.002/0.04	2	3	ND	Imidacloprid	0.002/0.002	2	3	ND
Acequinocyl	0.002/0.002	2	2	ND	Kresoxim-methyl	0.002/0.002	2	1	ND
Acetamiprid	0.002/0.002	2	3	ND	Malathion	0.01/0.04	2	2	ND
Aldicarb	0.002/0.01	2	0.1	ND	Metalaxyl	0.002/0.004	2	3	ND
Azoxystrobin	0.002/0.04	2	3	ND	Methiocarb	0.002/0.01	2	0.1	ND
Bifenazate	0.002/0.002	2	3	ND	Methomyl	0.002/0.002	2	0.1	ND
Bifenthrin	0.002/0.002	2	0.5	0.002	Mevinphos	0.009/0.036	2	0.1	ND
Boscalid	0.01/0.05	2	3	ND	Myclobutanil	0.002/0.04	2	3	ND
Carbaryl	0.002/0.004	2	0.5	ND	Naled	0.002/0.01	2	0.5	ND
Carbofuran	0.002/0.01	2	0.1	ND	Oxamyl	0.002/0.002	2	0.5	ND
Chlorantraniliprole	0.002/0.01	2	3	ND	Paclobutrazol	0.002/0.004	2	0.1	ND
Chlormequat chloride	0.002/0.004	2	3	ND	Permethrins	0.002/0.01	2	1	0.017
Chlorpyrifos	0.002/0.01	2	0.1	<LOQ	Phosmet	0.002/0.002	2	0.2	ND
Clofentezine	0.002/0.002	2	0.5	ND	Piperonyl Butoxide	0.002/0.002	2	3	ND
Daminozide	0.01/0.04	2	0.1	ND	Prallethrin	0.002/0.01	2	0.4	ND
Diazinon	0.002/0.01	2	0.2	ND	Propiconazole	0.002/0.04	2	1	ND
Dichlorvos	0.002/0.04	2	0.1	ND	Propoxur	0.002/0.01	2	0.1	ND
Dimethoate	0.002/0.002	2	0.1	ND	Pyrethrins	0.001/0.013	2	1	ND
Dimethomorph	0.001/0.002	2	3	ND	Pyridaben	0.002/0.002	2	3	ND
Ethoprophos	0.002/0.01	2	0.1	ND	Spinetoram	0.001/0.003	2	3	ND
Etofenprox	0.002/0.002	2	0.1	ND	Spinosad	0.001/0.001	2	3	ND
Etoxazole	0.002/0.002	2	1.5	ND	Spiromesifen	0.002/0.002	2	3	ND
Fenhexamid	0.01/0.04	2	3	ND	Spirotetramat	0.002/0.01	2	3	ND
Fenoxycarb	0.002/0.004	2	0.1	ND	Spiroxamine	0.002/0.04	2	0.1	ND
Fenpyroximate	0.002/0.002	2	2	ND	Tebuconazole	0.01/0.04	2	1	ND
Fipronil	0.002/0.004	2	0.1	ND	Thiacloprid	0.002/0.002	2	0.1	ND
Flonicamid	0.002/0.01	2	2	ND	Thiamethoxam	0.002/0.01	2	1	ND
Fludioxonil	0.002/0.004	2	3	ND	Trifloxystrobin	0.002/0.002	2	3	ND
Hexythiazox	0.002/0.004	2	2	ND					

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

TERPENES TOTAL

GC-FID

TESTED (0.177 %)


Sample Prep

Tech: 3929
SOP: 421
Batch Number: 56566
Batch Date: 10/24/2022 16:43:02

Sample Analysis


Date/Time: 10/26/2022 11:36:58
Tech: 2816
SOP: 419
Final Weight: 0.4029 g
Volume: 10 ml

TERPENE	LOD/LOQ (%)	DIL.	RESULTS (%)	TERPENE	LOD/LOQ (%)	DIL.	RESULTS (%)
3-Carene	0.001/0.003	1	ND	Geraniol	0.001/0.003	1	ND
alpha-Bisobolol	0.001/0.003	1	0.123	Geranyl acetate	0.001/0.003	1	ND
alpha-Cedrene	0.001/0.003	1	ND	Guaiol	0.001/0.003	1	0.023
alpha-Humulene	0.001/0.003	1	0.003	Hexahydrothymol	0.001/0.003	1	ND
alpha-Pinene	0.001/0.003	1	ND	Isoborneol	0.001/0.003	1	ND
alpha-Terpinene	0.001/0.003	1	ND	Isopulegol	0.001/0.003	1	ND
beta-Myrcene	0.001/0.003	1	ND	Limonene	0.001/0.003	1	ND
beta-Pinene	0.001/0.003	1	ND	Linalool	0.001/0.003	1	ND
Borneol	0.001/0.003	1	ND	Nerol	0.001/0.003	1	ND
Camphene	0.001/0.003	1	ND	p-Mentha-1,5-diene	0.001/0.003	1	ND
Camphor	0.001/0.003	1	ND	Pulegone	0.001/0.003	1	ND
Caryophyllene oxide	0.001/0.003	1	0.016	Sabinene hydrate	0.001/0.003	1	ND
Cedrol	0.001/0.003	1	ND	Terpineol	0.001/0.003	1	ND
cis-Nerolidol	0.001/0.003	1	ND	Terpinolene	0.001/0.003	1	ND
cis-Ocimene	0.001/0.003	1	ND	trans-Caryophyllene	0.001/0.003	1	0.005
Eucalyptol	0.001/0.003	1	ND	trans-Nerolidol	0.001/0.003	1	0.007
Fenchone	0.001/0.003	1	ND	trans-Ocimene	0.001/0.003	1	ND
Fenchyl alcohol	0.001/0.003	1	ND	Valencene	0.001/0.003	1	ND
gamma-Terpinene	0.001/0.003	1	ND				



Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816
SOP: 405
Batch Number: 56968
Batch Date: 11/14/2022 21:35:10

Sample Analysis

Date/Time: 11/15/2022 12:16:05
Tech: 2816
SOP: 405
Final Weight: 0.0495 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	<LOQ
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	ND	Methanol	6/100	1	250	<LOQ
Benzene	0.6/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	<LOQ	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	<LOQ	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3975
SOP: 428
Batch Number: 56574
Batch Date: 10/25/2022 10:00:40

Sample Analysis

Date/Time: 10/25/2022 17:23:07
Tech: 2853
SOP: 428
Final Weight: 0.2113 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 56575
Batch Date: 10/25/2022 10:28:58

Date/Time: 10/25/2022 18:08:57
Tech: 3571
SOP: 406

Sample Analysis

Final Weight: 1.0013 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total aerobic count	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 56575
Batch Date: 10/25/2022 10:28:58

Date/Time: 10/25/2022 18:08:57
Tech: 3571
SOP: 406

Sample Analysis

Final Weight: 1.0013 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3917
SOP: 406

Batch Number: 56552
Batch Date: 10/24/2022 10:02:43

Date/Time: 10/26/2022 20:34:08
Tech: 3571
SOP: 406

Sample Analysis

Final Weight: 1.0165 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



This COA is governed by the terms and conditions listed on: <https://www.greenscientificlabs.com/terms-of-use>



KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3917
SOP: 406

Batch Number: 56552
Batch Date: 10/24/2022 10:02:43

Sample Analysis

Date/Time: 10/26/2022 20:34:08
Tech: 3571
SOP: 406

Final Weight: 1.0165 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus flavus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





KORASANA
Gainesville, FL,
(888) 943-8849
Order #: 72246
Retail Batch #:
208118

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



